Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom
Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date :

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Bangalore city/village Thanisandra alias Jayagopal hem Dated on ....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..... marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Soft rock.

SOURCES EXTRACTED :

(I) Betwen 900 ft ft/mtrs. (II) 1200 f/- ft/mtrs.

(III) ..... ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 170 f/- ft/mtrs.
Approx, yield expected may be around 2.5" GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-24

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬ.ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

****

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

****

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date :

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Bangalore city/village Telecom Layout 6th Cross Dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..... marked by Clay Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Sft rock.

SOURCES EXTRACTED :

(I) Betwen 1000 ft ft/mtrs. (II) 1150 ft ft/mtrs.

(III) ..... ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 165 ft ft/mtrs.

Approx, yield expected may be around 2 GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಸಹಾಯಕ ಅಭಿಯಂತರರು ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

****

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

****

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date :

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Bangalore city/village Sarapalya Marathi Saw mill Road Dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards — marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by ..... rock.

SOURCES EXTRACTED :

(I) Betwen 1000 ft ft/mtrs. (II) 1200 ft ft/mtrs.

(III) ..... ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 180 ft ft/mtrs.

Approx, yield expected may be around 2" .....GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

Add Water 5

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

****

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

****

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date :

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ..... city/village Dasarahalli Maruthi Nagar Layout Dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..... marked by Clay..... Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by ..... rock.

SOURCES EXTRACTED :

(I) Betwen ..... 950 ft ..... ft/mtrs. (II) ..... 1000 ft ..... ft/mtrs.

(III) ..... 1150 ft ..... ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of ..... 200 ft ..... ft/mtrs.

Approx, yield expected may be around ..... 2 ..... GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-2

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

****

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

****

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date :

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ..... city/village .Bhavanthinagar 14M cum .....Dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..... marked by .....Clear..... Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by .....Gr/G..... rock.

SOURCES EXTRACTED :

(I) Betwen .....800 ft/-..... ft/mtrs. (II) .....1100 ft/-..... ft/mtrs.

(III) .....1450 ft..... ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of .....200'.....ft/mtrs.

Approx, yield expected may be around .....2.5"..... GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

Ayk Ward No 84 Shakthi Layout

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಜಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-24

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

****

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

****

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date :

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Bagalur city/village Hegdenahalli Signal Near police Compound Dated on ..... in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..... marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Soft rock.

SOURCES EXTRACTED :

(I) Betwen 800 ft/r ft/mtrs. (II) 1180 ft/r ft/mt's.

(III) ..... ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 200' ft/mtrs.

Approx, yield expected may be around 2.50' GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

Ward No 16

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-24

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods. Drilling advisors and supervision. Rain Water harvesting, water shed management. Quarry operations, Planning, Water testing, Soil Testing & Surveying.

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BBMP

Address W.No-6
Bhuvaneshwarinagar
B.L.o

GSTIN :

BILL No. **YNK/17/** 00622

DATE : 05/09/17 TIME : 5.30 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3PH AMR C514337 BT ward no 6 ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ ಬಿ.ಬಿ.ಎಂ.ಪಿ, ಬೆಂಗಳೂರು-24	01	1466.67	1466.	67
	BESCOM DVN : G9 W.O. No. E-140829 Date 31/08/17 Total Invoice Value (In Words) :		CGST @ 9%	132.	30
			SGST @ 9%	132.	30
			GRAND TOTAL	1730.	67

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For Landis+Gyr Limited

Signature

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BSMP.

Address W.No 6
RR Nagar
B.L

GSTIN :

BILL No. **YNK/17/** 00623

DATE : 05/09/17 TIME : 5.35 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3PHASE C514338 AE ward no 6 Sir-kalyani Sahayaka [illegible] Bangalore [illegible] B.B.M.P, Bengaluru-24	01	1466.67	1466	67

BESCOM DVN : E9	CGST @ 9%	132.	00
W.O. No. E-40830 Date 31/08/17	SGST @ 9%	132.	00
Total Invoice Value (In Words) :	GRAND TOTAL	1730.	67

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For Landis+Gyr Limited

Signature

ಬೆಂಗಳೂರು ವಿದ್ಯುಚ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ BANGALORE ELECTRICITY SUPPLY COMPANY LTD

E9 NAGAWARA

Receipt Number 2791693679 28
Reciept Date 28-08-2017 14:27:13
Cash Counter BESCOM - E9 SDO Online Cash Counter
Payor Account ID 2791693709
Person Name AEE BWP
RR Number
Total Payment Rs8,160.00
Mode of pay Cash
Purpose Deposits
Non Revenue category2WWD-FEE

Eight Thousand One Hundred Sixty Rupees Only

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-24

BANGALORE ELECTRICITY SUPPLY COMPANY LTD

BANGALORE ELECTRICITY SUPPLY COMPANY LTD

ಬೆಂಗಳೂರು ವಿದ್ಯುಚ್ಛಕ್ತಿ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

ಬೆಂಗಳೂರು

J NAGAWARA

Receipt Number	279169364702
Reciept Date	21-08-2017 16:16:45
Cash Counter	RESCOM - E9 900 Online Cash Counter
Payor Account ID	2791693709
Person Name	AEE BPMP
RR Number	
Total Payment	Rs100.00
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

One Hundred Rupees Only

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-24

ಬೆಂಗಳೂರು ವಿದ್ಯುಚ್ಛಕ್ತಿ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

BANGALORE ELECTRICITY SUPPLY COMPANY LTD

---------- THANK YOU ----------

E9 NAGAWARA

Receipt Number 7968346895754
Reciept Date 21-08-2017 16:16:45
Cash Counter BESCOM - E9 SDO Online
Cash Counter
Payor Account ID 7968360175
Person Name AEE BBMP
RR Number
Total Payment Rs100.00
Mode of pay Cash
Purpose Non Revenue
Non Revenue category REG-FEE

One Hundred Rupees Only

---------- THANK YOU ----------

ಬೆಂಗಳೂರು ವಿದ್ಯುಚ್ಛಕ್ತಿ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

BANGALORE ELECTRICITY SUPPLY COMPANY LTD

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-24



---------- THANK YOU ----------

E9 NAGAWARA

Receipt Number 796836087437
Reciept Date 28-08-2017 14:27:13
Cash Counter BESCOM - E9 SDO Online Cash Counter
Payor Account ID 7968360175
Person Name AEE BEMP
RR Number
Total Payment Rs8,168.00
Mode of pay Cash
Purpose Deposits
Non Revenue category CNND-FEE

Eight Thousand One Hundred Sixty Rupees Only

---------- THANK YOU ----------

ಬೆಂಗಳೂರು ವಿದ್ಯುಚ್ಛಕ್ತಿ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

BANGALORE ELECTRICITY SUPPLY COMPANY LTD

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಜ್ಯೋತಿಪುರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬೆ.ವಿ.ಸ.ಕಂ., ಬೆಂಗಳೂರು-24


BANGALORE ELECTRICITY SUPPLY COMPANY LTD
ಬೆಂಗಳೂರು ವಿದ್ಯುಚ್ಛಕ್ತಿ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ
Receipt Number 2791693549702
Receipt Date 21-08-2017 16:16:45
Cash Counter BESCOM - E9 SDO ONLINE
Payor Account ID 2791693789
Person Name AEE BBMP
RR Number 4
Total Payment ₹5180.00
Mode of pay Cash
Purpose Non Revenue
Non Revenue category&Co-FEE
One Hundred Rupees Only

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

BBMP
0-6
[illegible]
L0

BILL No. **YNK/17/** 00622

DATE : 05/09/17 TIME : 5.30 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3PH ASS CS14337 Sl.No. work No 6 ಬಿಬಿಎಂಪಿ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ ಬಿ.ಬಿ.ಎಂ.ಪಿ., ಬೆಂಗಳೂರು-24 ಸಹಾಯಕ ಅಭಿಯಂತರರು ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ ಬಿ.ಬಿ.ಎಂ.ಪಿ.	01	1466-67	1466-	67

BESCOM DVN : E9

W.O. No. E-40829 Date 31/08/17

Total Invoice Value (In Words) : _____

CGST @ 9%	132.	00
SGST @ 9%	132.	00
GRAND TOTAL	1730.	67

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Umesh

Signature

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BBMP.

Address W.No 6
RR Nagar
B.L

GSTIN :

BILL No. **YNK/17/** 00623

DATE : 05/09/17 TIME : 5.35 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	ZPH0818 C5143300	01	1466.67	1466.67	

Ward No 6 Shanthi Nagar

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ವಿಭಾಗ

BESCOM DVN : E9

W.O. No. E-40830 Date 31/08/17

Total Invoice Value (In Words) :

CGST @ 9%	132.	00
SGST @ 9%	132.	00
GRAND TOTAL	1730.	67

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Umesh

Signature

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : **1169** Date : _____

1. Customer's Name and Address with Telephone No. : AEE, Byatarayanapura Sub division ward No-06 Tel. No: 23623110

2. Well Location : Thanisandra Near Hoor Road Jayagopal

3. Total Well Depth / Drilled in Ft. : 1160 fts

4. Casing Erected in Ft. : 150 fts

5. Water Struck at the Depth of : failure

6. Total Yield (Measuring method "V" Norch : _____ / Inches on "V" Norch) —

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear —

8. At the Depth of : —

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

Ward No 6 Date 5-10-21

The Borewell was dulled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : **1168** Date : _____

1. Customer's Name and Address with Telephone No. : JEE Byatarayanapura sub division wara No.06 2362310

2. Well Location : Telecom Layout- 6M cross

3. Total Well Depth / Drilled in Ft. : 1165 ft

4. Casing Erected in Ft. : 155 ft

5. Water Struck at the Depth of : failure

6. Total Yield (Measuring method "V" Norch : —— / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear ——

8. At the Depth of : ——

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 1167 Date : _____

1. Customer's Name and Address with Telephone No. : AEE Kyatanayanayaka Sec Division Dasarahalli Bangalore 23623710

2. Well Location : Sanjaypalya Maruthi Road Saw

3. Total Well Depth / Drilled in Ft. : 1180 ft

4. Casing Erected in Ft. : 200 ft

5. Water Struck at the Depth of : failure

6. Total Yield (Measuring method "V" Norch : _____ / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear _____

8. At the Depth of : _____

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

A/c ward No 1

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / Proprietor

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : **1166** Date : _____

1. Customer's Name and Address with Telephone No. : AEE, Bagalagunte SCS Division, Dasalahalli Bangalore 23623110

2. Well Location : Dasalahalli Marathahalli Outer Ring Road

3. Total Well Depth / Drilled in Ft. : 1185 ft

4. Casing Erected in Ft. : 180 ft

5. Water Struck at the Depth of : failure

6. Total Yield (Measuring method "V" Norch : _____ / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear

8. At the Depth of :

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

82 ward no 6

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : **1165** Date : _____

1. Customer's Name and Address with Telephone No. : AEE Byatarayanapura SCS Division Dasarahalli Bangalore 23623110
2. Well Location : Bhuvaneshwarinagar 14th Cross
3. Total Well Depth / Drilled in Ft. : 1186. ft
4. Casing Erected in Ft. : 195 ft
5. Water Struck at the Depth of : Ist 380" ft IInd 950" & IIIrd 1150ft
6. Total Yield (Measuring method "V" Norch : 2 inch / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Clear
8. At the Depth of : —
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

AE ward No 6 ಸಹಿ ಕೃಷ್ಣಪ್ಪ

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

BOREWELL
COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : **1164** Date : _____

1. Customer's Name and Address with Telephone No. : AEE Byatarayanapura Sub Divn Dasarahalli Bangalore 23623110

2. Well Location : Hegadenagar Signal Near police Compound

3. Total Well Depth / Drilled in Ft. : 1174 ft

4. Casing Erected in Ft. : 198 ft

5. Water Struck at the Depth of : I st - 750" II nd - 920" IV nd - 1110"

6. Total Yield (Measuring method "V" Norch : 2 inch / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Clear

8. At the Depth of : —

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor